

## GALILEI Peer Reviewed Literature

1. Al-Mohtaseb ZN, Wang L , Weikert MP (2013). "Repeatability and comparability of corneal thickness measurements obtained from Dual Scheimpflug Analyzer and from ultrasonic pachymetry " Graefe's Archive for Clinical and Experimental Ophthalmology 251(7): 1855-1860.
2. Ambrósio R Jr. Randleman JB (2013). "Screening for Ectasia Risk: What are we screening for and how should we screen for it?" Journal of Refractive Surgery 29(4): 230-232.
3. Berti Bacha T, Ghanem Coral V, Ghanem Coral R, Binder SP (2013). "Moderate Keratoconus with thick corneas." Journal of Refractive Surgery 29(6): 430-435.
4. Bethke W. (2014). "New Ways to Detect Keratoconus." Review of Ophthalmology February 2014: 58-59.
5. Boyle EL (2013). "Experts differ on corneal astigmatism correction in cataract surgery." EyeWorld AsiaPacific 9(1): 15-16.
6. Boyle EL (2013). "Posterior corneal astigmatism vital to calculating correct total astigmatism." EyeWorld AsiaPacific 9(1): 17-18.
7. Brooker ET (2013). "Exploring the Evolution of Corneal Topographers." Advanced Ocular Care July/August 2013: 59-62. (This article is reprinted with permission from Advanced Ocular Care, annotation to p. 62 of the article : The new GALILEI G6 Lens Professional is equipped with optical biometry and measures axial length)
8. Crawford AZ, Patel DV, Mcghee CNJ (2013). "Comparison and repeatability of keratometric and corneal power measurements obtained by Orbscan II, Pentacam, and Galilei corneal tomography systems " American Journal of Ophthalmology 156(1): 53-60.
9. Demir S, Sönmez B, Yeter V, Ortak H (2013). "Comparison of normal and keratoconic corneas by Galilei Dual-Scheimpflug Analyzer." Contact lens and Anterior Eye.
10. Demir S, Ortak H, Yeter V, Alim S, Sayin O, Tas U, Sönmez B (2013). "Mapping Corneal Thickness Using Dual-Scheimpflug Imaging at Different Stages of Keratoconus." Cornea 32(11): 1470-1474.
11. Domínguez-Vicent A, Monsálvez-Romín D, Sanchis V, García-Lázaro S, Montés-Micó R (2013). "Anterior chamber depth measurement: interchangeability between Pentacam and other devices." Journal of Emmetropia 3(October-December): 215-220.
12. Domínguez-Vicent A, Monsálvez-Romín D, Pérez-Vives C, Ferrer-Blasco T, Montés-Micó (2013). "Measurement of angle Kappa with Orbscan II and Galilei G4: effect of accommodation." Graefe's Archive for Clinical and Experimental Ophthalmology.
13. Dong J, Wu Q,, Wang X-G (2013). "Measurement of central corneal thickness and pre-corneal tear film thickness of rabbits using the Scheimpflug system." Int J Ophthalmol 6(5): 584-587.
14. Feizi S, Einollahi B, Raminkhoo A (2013). "Correlation between corneal topographic indices and higher-order aberrations in keratoconus " Journal of Ophthalmic and Vision Research 8(2): 113-118.

15. Güler E, Yagci R, Akyol M, Arslanyilmaz Z, Balci M, Hepsen IF (2014). "Repeatability and reproducibility of Galilei measurements in normal keratoconic and postrefractive corneas." *Contact lens and Anterior Eye* 37(2014): 331-336.
16. Huang J, Ding X, Savini G, Pan C, Feng Y, Cheng D, Hua Y (2013). "A Comparison between Scheimpflug Imaging and Optical Coherence Tomography in Measuring Corneal Thickness " *Ophthalmology*.
17. Huang J, Lu W, Savini G, Pan C, Wang J, Tan W, Wang Q (2013). "Evaluation of corneal thickness using a Scheimpflug-Placido disk corneal analyzer and comparison with ultrasound pachymetry in eyes after laser in situ keratomileusis " *Journal of Cataract and Refractive Surgery* 39(7): 1074-1080.
18. Huang J, Savini G, Hu L, Hoffer KJ (2013). "Precision of a new Scheimpflug and Placido-disk analyzer in measuring corneal thickness and agreement with ultrasound pachymetry." *Journal of Cataract and Refractive Surgery* 39(2): 219-224.
19. Jafarinasab MR, Feizi S, Karimian F, Hasanpour H (2013). "Evaluation of corneal elevation in eyes with Subclinical Keratoconus and Keratoconus using Galilei double Scheimpflug analyzer " *European Journal of Ophthalmology* 23(3): 377-384.
20. Jahadi Hosseini HR, Katbab A, Khaili MR, Abtahi MB (2010). "Comparison of corneal thickness measurements using Galilei, HR Pentacam, and ultrasound." *Cornea* 29(10): 1091-1095.
21. Karimian F, Feizi S, Faramarzi A, Doozandeh Y, Yaseri M (2012). "Evaluation of corneal pachymetry measurements by Galilei dual Scheimpflug camera " *European Journal of Ophthalmology* 22(Suppl. 7): 33-39.
22. Koch DD, Ali SF, Weikert MP, Shirayama M, Jenkins R, Wang L (2012). "Contribution of posterior corneal astigmatism to total corneal astigmatism." *Journal of Cataract and Refractive Surgery* 38(12): 2080-2087.
23. Ladi JS, Shah NA (2010). "Comparison of central corneal thickness measurements with the Galilei dual Scheimpflug analyzer and ultrasound pachymetry." *Indian J Ophthalmol.* 58(5): 385-388.
24. Lee YW, Choi CY, Yoon GY (2015). "Comparison of dual rotating Scheimpflug-Placido, swept-source optical coherence tomography, and Placido-scanning-slit systems." *Journal of Cataract and Refractive Surgery* 41(May 2015): 1018-1029.
25. Mahmoud AM, Nuñez MX, Blanco C, Koch DD, Wang L, Weikert MP, Frueh BE, Tappeiner C, Twa MD, Roberts CJ (2013). "Expanding the Cone Location and Magnitude Index to Include Corneal Thickness and Posterior Surface Information for the Detection of Keratoconus." *Am J Ophthalmol.* 156 (6): 1102-11.
26. Mauger TF, Mahmoud AM, Roberts CJ, Chheda LV, Kuennen RA, Hendershot AJ, Lembach RG (2012). "Comparison of Placido, Scheimpflug and Combined Dual Scheimpflug-Placido Keratoconic and Postrefractive Surgery Ectasia." *Int J Keratoco Ectatic Corneal Dis* 1(1): 44-52.
27. Mello GR, Roberts CJ, Smadja D, Serpe CC, Krueger RR, Santhiago MR (2013). "Comparison of Keratometric Changes After Myopic Ablation: Ray Tracing Versus Simulated Keratometry." *Journal of Refractive Surgery* 29(9): 604-610.
28. Menassa N, Kaufmann C, Goggin M, Job OM, Bachmann LM, Thiel MA (2008). "Comparison and reproducibility of corneal thickness and curvature readings obtained by the Galilei and the Orbscan II analysis systems." *Journal of Cataract and Refractive Surgery* 34(10): 1742-1747.

29. Oliveira CM, Ribeiro C, Franco S (2011). "Corneal imaging with slit-scanning and Scheimpflug imaging techniques " *Clinical and Experimental Optometry* 94(1): 33-42.
30. Park SH, Choi SK, Lee D, Jun EJ, Kim JH (2012). "Corneal thickness measurement using orbscan, pentacam, galilei, and ultrasound in normal and post-femtosecond laser in situ keratomileusis eyes " *Cornea* 31(9): 978-982.
31. Patel RP, Pandit RT (2012). "Comparison of Anterior Chamber Depth Measurements from the Galilei Dual Scheimpflug Analyzer with IOL Master." *Journal of Ophthalmology*(01/2012).
32. Roberts CJ, Zueger BJ, Lewis JL, Cattin RR (2012). "GALILEI™ Dual Scheimpflug Analyzer." Kugler Publications.
33. Roberts CJ, Züger BJ (2006). "The Advantage and Principle of Dual Scheimpflug Imaging for analyzing the Anterior Segment of the Human Eye." White Paper.
34. Salouti R, Nowroozzadeh MH, Zamani M, Ghoreyshi M, Salouti R "Comparison of horizontal corneal diameter measurements using Galilei, EyeSys and Orbscan II systems." *Clin Exp Optom.* 92(5): 429-433.
35. Salouti R, Nowroozzadeh MH, Zamani M, Fard AH, Niknam S (2009). "Comparison of anterior and posterior elevation map measurements between 2 Scheimpflug imaging systems." *Journal of Cataract and Refractive Surgery* 35(5): 856-862.
36. Salouti R, Nowroozzadeh MH, Zamani M, Ghoreyshi M, Salouti R (2010). "Comparison of anterior chamber depth measurements using Galilei, HR Pentacam, and Orbscan II." *Optometry* 81(1): 35-39.
37. Savini G, Barboni P, Garbonelli M, Hoffer KJ (2011). "Accuracy of a dual Scheimpflug analyzer and a corneal topography system for intraocular lens power calculation in unoperated eyes." *Journal of Cataract and Refractive Surgery* 37(1): 72-76.
38. Savini G, Carbonelli M, Barboni P, Hoffer KJ (2011). "Repeatability of automatic measurements performed by a dual Scheimpflug analyzer in unoperated and post-refractive eyes." *Journal of Cataract and Refractive Surgery* 37(2): 302-309.
39. Shirayama M, Wang L, Weikert MP, Koch DD (2009). "Comparison of corneal powers obtained from 4 different devices." *Am J Ophthamlmol.* 148(4): 528-535.
40. Smadja D, Touboul D, Colin J (2012). "Comparative Evaluation of Elevation, Keratometric Pachymetric and Wavefront Parameters in Normal Eyes, Subclinical Keratoconus and Keratoconus with a Dual Scheimpflug Analyzer." *International Journal of Keratoconus and Ectatic Corneal Diseases* 1(3): 158-166.
41. Smadja D, Santhiago MR, Mello GR, Roberts CJ, Dupps Jr WJ, Krueger RR (2012). "Response of the posterior corneal surface to myopic laser in situ keratomileusis with different ablation depths " *Journal of Cataract and Refractive Surgery* 38(7): 1222-1231.
42. Smadja D, Santhiago MR, Mello GR, Touboul D, Mrochen M, Krueger RR (2013). "Corneal higher order aberrations after myopic wavefront-optimized ablation." *Journal of Refractive Surgery* 29(1): 42-48.
43. Smadja D, Touboul D, Cohen A, Doveh E, Marcony RS, Glauco RM, Krueger RR, Colin J (2013). "Detection of Subclinical Keratoconus Using an Automated Decision Tree Classification " *American Journal of Ophthalmology* 156(2): 237-246.

44. Smadja D, Santhiago MR, Mello GR, Krueger RR, Colin J, Touboul D (2013). "Influence of the reference surface shape for discriminating between normal corneas, subclinical keratoconus, and keratoconus " *Journal of Refractive Surgery* 29(4): 274-281.
45. Srivannaboon S, Soeharnila, Chirapapaisan C, Chopimai P (2012). "Comparison of corneal astigmatism and axis location in cataract patients measured by total corneal power, automated keratometry, and simulated keratometry " *Journal of Cataract and Refractive Surgery* 38(12): 2088-2093.
46. Sy ME, Ramirez-Miranda A, Zarei-Ghanavati S, Engle J, Danesh J, Hamilton DR (2013). "Comparison of posterior corneal imaging before and after LASIK using dual rotating scheinpflug and scanning slit-beam corneal tomography systems." *Journal of Refractive Surgery* 29(2): 96-101.
47. Wang L, Mahmoud AM, Anderson BL, Koch DD, Roberts CJ "Total corneal power estimation: Ray tracing method vs. Gaussian optics formula." *Invest Ophthalmol Vis Sci* 2010(Nov 11 [Epub ahead of print]).
48. Wang L, Hill WE, Koch DD. Cullen Eye Institute, Baylor College of Medicine (2010). "Evaluation of intraocular lens power prediction methods using the American Society of Cataract and Refractive Surgeons Post-Keratorefractive intraocular Lens Power." *Journal of Cataract and Refractive Surgery* 36(9): 1466-1473.
49. Wang L, Shirayama M, Koch DD (2010). "Repeatability of corneal power and wavefront aberration measurements with a dual-Scheinpflug Placido corneal topographer." *Journal of Cataract and Refractive Surgery* 36(6): 425-430.
50. Wang X, Wu Q (2013). "Investigation of the human anterior segment in normal Chinese subjects using a dual scheinpflug analyzer " *Ophthalmology* 120(4): 703-708.
51. Yagci R, Güler E, Uzun F, Güragac BF, Acer S, Hepsen IF (2014). "Assessment of Anterior Chamber Parameters After Cataract Surgery by GALILEI Dual Scheimpflug Analyzer." *Eye & Contact Lens*: 1-4.
52. Yeter V, Sönmez B, Beden U (2012). "Comparison of Central Corneal Thickness Measurements by Galilei Dual-Scheinpflug Analyzer® and Ultrasound Pachymeter in Myopic Eyes." *Ocular Surgery News* 43(2): 128-134.
53. Zhang L, Sy ME, Mai H, Yu F, Hamilton DR (2015). "Effect of posterior corneal astigmatism on refractive outcomes after toric intraocular lens implantation " *Journal of Cataract and Refractive Surgery* 41(1): 84-89.